This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	3	("5732001" "4866634" "5046024").pn.	USPAT	2004/06/28 10:51
8	0	09939128.ap.	USPAT;	2004/06/28 11:00
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	1	20030041078.did.	US-PGPUB	2004/06/28 11:00

	Xolore, str	ndards Conferences Careers/Jobs Welcome United States Patent and Trademark Office	
Help FAO Terms Review Welcome to ISSE Xpror	IEEE Pear - Quick Lin	nks 🔻	№ Д.
O- Home O- What Can I Access? O-Log-out	To Locate an As	text Search Prototype GO Help uthor: or select a letter in the alphabet. the name, select it to search the database for relevant articles	s.
O- Journals 8 Magazines C- Conference Proceedings C- Standards	1.Options: » Enter a name to fi	nd an author:	
Search	889 1	att S to obtain a list of authors with the last name Lockett and o browse the author list:	first name initia
O- By Author O- Basic	p	IJKLMNOPQRSTUVWXYZ ALL	***************************************
O- Advanced	Brothers M.	thor name to search the database for relevant Brothers M. H.	articles:
Ch Establish IEEE Web Account	ABCDEFGH	IJKLMNOPQRSTUVWXYZ ALL	
O- Access the IEEE Member Digital Library			

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved



Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Autihor | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top


Copyright © 2004 IEEE — All rights reserved



BEEE HOME SEARC	HIEEE I SHOP I WEB ACCOUNT I CONTACT IEEE
Membership Public	XOIOE United States Patent and Trademark Office
Review	EEE Peer Quick Links ▼ >> Au
O- Home O- What Can I Access? O-Log-out	Try our New Full-text Search Prototype GO To Locate an Author: 1. Enter a last name or select a letter in the alphabet.
Contenes - Journals - & Magazines - Conference - Proceedings - Standards	2. Once you identify the name, select it to search the database for relevant articles. 1.Options: ** Enter a name to find an author: Go Example:Enter Lockett S to obtain a list of authors with the last name Lockett and first name initia
Status - By Author - Basic - Advanced - Join IEEE - Establish IEEE	ABCDEFGHIJKLMNOPQRSTUVWXYZ ALL 2. Select an author name to search the database for relevant articles: Child J. ABCDEFGHIJKLMNOPQRSTUVWXYZ ALL
Web Account O Access the IEEE Member Digital Library	

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved



Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved

L Number	Hits	Search Text	DB	Time stamp
-	3094	handheld\$1.ti.	USPAT;	2004/02/10 12:45
		'	US-PGPUB;	, ,
•			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
ا ۔ ا	317866	comput\$6.ti.	USPAT;	2004/02/13 15:50
	317000	Compacyo.c.	US-PGPUB;	200 1/02/13 13.30
	,		EPO; JPO;	
			DERWENT;	
	c=00c	1.54.11	IBM_TDB	2004/02/02 20 40
-	65326	graph\$4.ti.	USPAT;	2004/02/09 20:19
l			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	!		IBM_TDB	
-	97515	calculat\$4.ti.	USPAT;	2004/02/10 08:53
			US-PGPUB;	
			EPO; JPO;	*
[DERWENT;	
			IBM_TDB	
_	934	graph\$4.ti. and calculat\$4.ti.	USPAT;	2004/02/10 12:45
	231	graphy t.a. and calculate t.a.	US-PGPUB;	200 1/02/10 12. 15
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/02/42 44 25
-	1	(graph\$4.ti. and calculat\$4.ti.) and handheld\$1.ti.	USPAT;	2004/02/13 14:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	614	handheld\$1.ti. and comput\$6.ti.	USPAT;	2004/02/13 14:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	· ·
-	39556	screen\$1 and key\$1 and processor\$1	USPAT;	2004/02/10 13:20
	33300	Silveriff and Royff and Processory	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	10	graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and	USPAT;	2004/06/28 10:50
	10	processor\$1)	US-PGPUB;	200 1,00,20 10.30
		biocessoral)		
			EPO; JPO;	
			DERWENT;	
	_	(IBM_TDB	2004/02/40 07:24
-	0	(graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and	USPAT;	2004/02/10 07:31
		processor\$1)) and expert	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	(graph\$4.ti, and calculat\$4.ti, and (screen\$1 and key\$1 and	USPAT;	2004/02/10 07:31
		processor\$1)) and program\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	
-	3	((graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and	USPAT;	2004/02/10 07:32
		processor\$1)) and program\$4) and mathematic\$2	US-PGPUB;	= > 0 , 0 = , 20 0 , 10 =
		processory 1) and programmy is and madiomadope	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	L		סטו_ויוטד	

-	5	((graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and processor\$1)) and program\$4) and expression\$1	USPAT; US-PGPUB;	2004/02/10 07:32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	graph\$4.ti. and calculat\$4.ti. and (key adj panel)	USPAT;	2004/02/10 07:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	8	graph\$4.ti. and calculat\$4.ti. and (key same panel)	USPAT;	2004/02/10 07:34
		graphy han and calculate han and (no) came partory	US-PGPUB;	200 1, 02, 10 0, 10 1
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	(graph\$4.ti. and calculat\$4.ti. and (key same panel)) and	USPAT;	2004/02/10 07:35
		symbol\$2	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	0	graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and	USPAT;	2004/02/10 07:36
		processor\$1)) and (problem\$1 same solution\$1)	US-PGPUB;	230 1, 02, 10 07.30
		processing 277 and (problem to condition to 27	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and	USPAT;	2004/02/10 07:36
		processor\$1)) and (problem\$1 and solution\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	5066	(screen\$1 and key\$1 and processor\$1) and (problem\$1	IBM_TDB USPAT;	2004/02/10 07:36
	3000	same solution\$1)	US-PGPUB;	200-1/02/10 07.50
-		Sum Solution 27	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	graph\$4.ti. and calculat\$4.ti. and handheld\$1	USPAT;	2004/02/13 14:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	7	screen\$1 and (key\$1 same panel) and processor\$1 and	USPAT;	2004/02/13 14:56
	'	handheld\$1.ti. and comput\$6.ti.	US-PGPUB;	, 52, 13 1 1.50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	graph\$4.ti. and calculat\$4.ti. and display\$4 and (key same	USPAT;	2004/02/10 08:47
		pad)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	3495	graph\$4 and calculat\$4 and handheld\$1 and comput\$6	USPAT;	2004/02/13 15:00
	3.55	2 all 1 and amount to an amount and a second and	US-PGPUB;	====, ==, ==
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	42	(graph\$4 and calculat\$4 and handheld\$1 and comput\$6)	USPAT;	2004/02/13 15:00
		and (screen\$1 or display\$1) and processor\$1 and (key\$1	US-PGPUB;	
		same (panel or pad)) and program\$4 and expression\$1 and symbol\$2	EPO; JPO; DERWENT;	
		Symbolip2	IBM_TDB	
		I		I

1					
processors 1 and (key\$1 same (panel or pad)) and program 4 and expression 2 and symbol 2) DRWENT IBM_TDB DRWE	-	3			2004/02/13 15:01
3 Calculats4-ti. and ((graphs4 and calculats4 and handheld\$1 and computs6) and (screenţ1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2 EPO, IPO, DERWENT; IBM TDB USPAT; us-PGPUB; ePO, IPO, IPO, IPO, IPO, IPO, IPO, IPO, I			processor\$1 and (key\$1 same (panel or pad)) and	EPO; JPO;	
3 Calculat\$4.ti. and ((graph\$4 and calculat\$4 and handheld\$1 and comput\$6) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2 SPAT; US-PGPUB; EPO; JPO; DERWENT; BM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; BM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			program\$4 and expression\$1 and symbol\$2)	DERWENT;	
and computs(s) and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 and (key\$1 same (panel or pad\$1)) and processor\$1 and (key\$1 same (panel or pad\$1) and processor\$1 and (key\$1 same (panel or pad\$1)) and processor\$1 and (key\$1 same (panel or pad\$1) and processor\$1 and (key\$1 same (panel or pad\$1) and processor\$1 and (key\$1 same (panel or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel \$1 or pad\$1) and processor\$1 and (key\$1 same (panel or pad					
and computs(s) and (screens) or displays(s) and processors(s) and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2 USPAT; US-PGPUB; PGO; JPO; DERWENT; IBM_TDB USPAT; US-PGPU	_	3	calculat\$4.ti_and ((graph\$4 and calculat\$4 and handheld\$1		2004/02/13 15:05
processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2 USPAT; IBM_TDB USPA					200 1, 02, 10 15.05
DERWENT; IBM TDB IBM					
18M TDB 19M TDB 2004/02/10 09:25 2004/02/10 09:26 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 12:45 2004/02/10					
S graph\$4.ti, and calculat\$4.ti, and (screen\$1 or display\$1) USPAT; DO4/02/10 09:25			programay and expressional and symbolazi		
and processor\$1 and (key\$1 same (panel or pad)) and program\$4 and expression\$1 and symbol\$2 US-PGPUB; EPO; IPO; DERWENT; IBM_TDB uspars; I		· -			2004/02/40 00:25
program\$4 and expression\$1 and symbol\$2 - 5 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and expression\$1 and (key\$1 same (panel or pad)) and expression\$1 and symbol\$2 - 5 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and expression\$1 and (key\$1 same (panel or pad)) and expression\$1 - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) - 8 program\$2 - 9 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) usPAT; usPeGPUB; ePO; JPO; DERWENT; IBM_TDB usPAT; usPeGPUB; ePO; JPO; DERWENT; usPeGPUB; ePO; JPO; DERWE	-) >			2004/02/10 09:25
DERWENT; IBM_TDB DERWENT; IB					
Solution		j ,	program\$4 and expression\$1 and symbol\$2		
USPAT; and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 and symbol\$2 USPAT; BM_TDB USPAT		}		DERWENT;	
and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 and symbol\$2 - 5 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) uSPAT; uSPCPUB; EPO; JPO; DERWENT; IBM_TIDB uspan; and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) uSPAT; uSPCPUB; EPO; JPO; DERWENT; IBM_TIDB uSPAT; uSPCPUB; EPO; JPO; DERWENT; USPCPUB; EPO; JPO			•	IBM_TDB	
and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 and symbol\$2 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PG	-	5	graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1)	USPAT;	2004/02/10 09:25
expression\$1 and symbol\$2 EPO; JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPC; DERWENT; US-PGPUB; EPO; JPC; US-PGPUB; EPO; JPC; DERWENT; US-PGPUB; EPO; JPC; US-PG					, ,
- 5 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel \$1\$ or pad\$1)) - 16 handheld\$1.ti. and paus\$3 - 17 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 18 praph\$4.ti. and calculat\$4.ti. and paus\$3 - 19 praph\$4.ti. and calculat\$4.ti. and paus\$3 - 232 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 232 praph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 233 praph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 234 paus\$3					
S graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; J			expression of and symbolic		
S graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB usPAT; and processor\$1 and (key\$1 same (panel or pad)) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB usPAT; us-PGPUB; EPO; JPO; DERWENT; us-PGPU					
and processor\$1 and (key\$1 same (panel or pad)) and expression\$1 - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) - 16 handheld\$1.ti. and paus\$3 - 17 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 18 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 19 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/13 15:09 2004/02/13 15:09 2004/02/13 15:09 2004/02/13 15:10 2004/02/13 15:10 2004/02/13 15:10 2004/02/13 15:10 2004/02/13 15:10 2004/02/13 15:10 2004/02/13 15:10 2004/02/13 15:10		-	aranht4 ti and calculate4 ti and (corporate or displayed)		2004/02/40 00:20
expression\$1 expression\$1 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad\$1)) graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) handheld\$1.ti. and paus\$3 graph\$4.ti. and calculat\$4.ti. and paus\$3 graph\$4.ti. and calculat\$4.ti. and paus\$3 graph\$4.ti. and calculat\$4.ti. and paus\$3 applies the processor\$1 and (paus\$3) bandheld\$1.ti. and calculat\$4.ti. and paus\$3 applies the processor\$1 and (paus\$3) bandheld\$1.ti. and calculat\$4.ti. and paus\$3 applies the processor\$1 and (paus\$3) bandheld\$1.ti. and calculat\$4.ti. and paus\$3 applies the processor\$1 and (paus\$3) applies the processor\$1 and (paus\$4) applies the processor\$	_	5			2004/02/10 09:26
- 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) - 16 handheld\$1.ti. and paus\$3 - 17 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 18 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 19 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 09:29 2004/02/10 10:29 2004/02/13 15:06 2004/02/13 15:06 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 15:09 10 perwent; IBM_TDB 11 graph\$4.ti. and comput\$6.ti. and paus\$3 2004/02/10 12:45 2004/02/10 12:45 2004/02/10 15:09 10 perwent; IBM_TDB 11 graph\$4.ti. and (paus\$3 or stop\$4) 2004/02/13 15:09 12 perpuB; EPO; JPO; DERWENT; IBM_TDB 13 praph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 2004/02/13 15:10 2004/02/13 15:10 2004/02/13 15:10 2004/02/13 15:10					
- 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; J			expression\$1		
- 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) - 16 handheld\$1.ti. and paus\$3 - 16 panel\$1 paus\$3 - 17 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 18 paus\$3 - 19 paus\$4.ti. and calculat\$4.ti. and paus\$3 - 19 paus\$4.ti. and calculat\$4.ti. and paus\$3 - 10 paus\$4 - 10 paus\$5 - 10 paus\$5 - 10 paus\$6.ti. and paus\$3 - 10 paus\$6.ti. and paus\$6.ti. and paus\$3 - 10 paus\$6.ti. and paus\$7 - 10 paus\$6.ti. and (paus\$6.ti. and paus\$6.ti. and paus\$6.ti. and paus\$7 - 10 pa					
and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) - 16 handheld\$1.ti. and paus\$3 - 1 1 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 1 2 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 1 3 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 2 4 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 2 32 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3			·	IBM_TDB	
and processor\$1 and (key\$1 same (panel or pad)) - 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) - 16 handheld\$1.ti. and paus\$3 - 1 1 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 1 2 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 1 3 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 1 4 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 2 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3	-	7	graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1)	USPAT;	2004/02/10 09:29
- 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) - 16 handheld\$1.ti. and paus\$3 - 1 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 1 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 1 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 2 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3				US-PGPUB:	
- 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) and processor\$1 and (key\$1 same (panel\$1 or pad\$1))			(, , , , , , , , , , , , , , , , , , ,		}
- 7 graph\$4.ti. and calculat\$4.ti. and (screen\$1 or display\$1) uSPAT; uS-PGPUB; EPO; JPO; DERWENT; IBM_TDB USP					
- 16 handheld\$1.ti. and calculat\$4.ti. and (screen\$1 or display\$1) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPAT; US-PGPUB	•				
and processor\$1 and (key\$1 same (panel\$1 or pad\$1)) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; J			grapht4 tilland calculatt4 tilland (corporati or dicalayti)		2004/02/10 00:20
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM	-	'			2004/02/10 05.25
- 16 handheld\$1.ti. and paus\$3			and processors I and (keys I same (panels I or pads I))		
- 16 handheld\$1.ti. and paus\$3					
- 16 handheld\$1.ti. and paus\$3 - 1 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 1 graph\$4.ti. and calculat\$4.ti. and paus\$3 - 4 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 4 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$8 and handheld\$1 and comput\$8 and paus\$8					
- 1 graph\$4.ti. and calculat\$4.ti. and paus\$3					
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB US-PGPUB; EPO; JPO; DE	-	16	handheld\$1.ti. and paus\$3		2004/02/13 15:06
- 1 graph\$4.ti. and calculat\$4.ti. and paus\$3				US-PGPUB;	
- 1 graph\$4.ti. and calculat\$4.ti. and paus\$3				EPO; JPO;	
- 232 handheld\$1.ti. and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPAT;				DERWENT;	
- 232 handheld\$1.ti. and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPAT;					
- 4 handheld\$1.ti. and comput\$6.ti. and paus\$3	-	1 1	graph\$4.ti, and calculat\$4.ti, and paus\$3		2004/02/10 12:45
- 4 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 paus\$3			2		
- 4 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 and paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$6 and paus\$6 and paus\$6 and paus\$6 and paus\$6 and paus\$6 and paus\$7 paus\$7 paus\$8 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 and paus\$6 and paus\$6 and paus\$7 paus\$7 paus\$7 paus\$7 paus\$7 paus\$7 paus\$7 paus\$7 paus\$8 paus\$8 paus\$8 paus\$8 paus\$8 paus\$8 paus\$8 paus\$8 paus\$9					
- 4 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$8 - 397 graph\$9 - 397 g					
- 232 handheld\$1.ti. and comput\$6.ti. and paus\$3 - 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 and paus\$6 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$6 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 - 397 graph\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$8 - 397 graph\$8 - 397 graph\$9 - 397	1				
- 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$5 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$5 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$8 - 397 graph\$9 - 397 grap		!	bandboldet ti and constite ti and secret?		2004/02/12 15:00
- 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$5 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$6 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$8 - 397 graph\$9	-	4	nanuneiu\$1.ti. and comput\$6.ti. and paus\$3		2004/02/13 15:09
- 232 handheld\$1.ti. and (paus\$3 or stop\$4) - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$5 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$6 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$4 band calculat\$4 and handheld\$1 and comput\$6 and paus\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$7 - 397 graph\$8 - 397 graph\$9 - 397					
- 232 handheld\$1.ti. and (paus\$3 or stop\$4) BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;					
- 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 - DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;					
- 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	232	handheld\$1.ti. and (paus\$3 or stop\$4)		2004/02/13 15:10
- 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					, , , = = = = = = =
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT;		1			
- 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 US-PGPUB; EPO; JPO; DERWENT;		1			
- 397 graph\$4 and calculat\$4 and handheld\$1 and comput\$6 and paus\$3 USPAT; US-PGPUB; EPO; JPO; DERWENT;		1		1	
paus\$3 US-PGPUB; EPO; JPO; DERWENT;		307	avanhed and calculated and bandholded and commuted and		2004/02/42 45:40
EPO; JPO; DERWENT;	-	39/	1 - 1		2004/02/13 15:10
DERWENT;		1	paus\$3		
IBM_TDB		1			
	L			IBM_TDB	

-	11	(graph\$4 and calculat\$4 and handheld\$1 and comput\$6)	USPAT;	2004/02/13 15:23
		and (screen\$1 or display\$1) and processor\$1 and (key\$1	US-PGPUB;	
	l	same (panel or pad)) and program\$4 and expression\$1 and	EPO; JPO;	
		symbol\$2 and paus\$3	DERWENT;	
			IBM_TDB	1
_	3822	screen\$1 and key\$1 and processor\$1 and paus\$3	USPAT;	2004/02/10 13:20
	3022	Screeniff and Reyot and processory and page 5	US-PGPUB;	2001/02/1015.20
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	graph\$4.ti. and calculat\$4.ti. and (screen\$1 and key\$1 and	USPAT;	2004/02/10 13:20
		processor\$1) and paus\$3	US-PGPUB;	
	İ		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	5	(4852057, "5732001").pn.	USPAT;	2004/02/13 14:34
		(1000000), (100000)	US-PGPUB;	200 1, 02, 20 2 110 1
			EPO; JPO;	
			DERWENT;	
			1	
	10513	hand hold ti	IBM_TDB	2004/02/42 45:40
-	10512	hand-held.ti.	USPAT;	2004/02/13 15:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(graph\$4.ti. and calculat\$4.ti.) and hand-held.ti.	USPAT;	2004/02/13 14:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	505	hand-held.ti. and comput\$6.ti.	USPAT;	2004/02/13 15:40
	303	Hand-neid.d. and computation.		2007/02/13 13.70
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	5	graph\$4.ti. and calculat\$4.ti. and hand-held\$1	USPAT;	2004/02/13 14:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	screen\$1 and (key\$1 same panel) and processor\$1 and	USPAT;	2004/02/13 14:56
		hand-held\$1.ti. and comput\$6.ti.	US-PGPUB;	
			EPO; JPO;	
	[DERWENT;	
	1		IBM_TDB	
1.	5548	graph\$4 and calculat\$4 and hand-held\$1 and comput\$6	USPAT;	2004/02/13 15:40
-	محدد ا	Graphish and calculated and nationicids and computed		2007/02/13 13.40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	42	(graph\$4 and calculat\$4 and hand-held\$1 and comput\$6)	USPAT;	2004/02/13 15:00
		and (screen\$1 or display\$1) and processor\$1 and (key\$1	US-PGPUB;	
		same (panel or pad)) and program\$4 and expression\$1 and	EPO; JPO;	
		symbol\$2	DERWENT;	
			IBM_TDB	
_	1	hand-held\$1.ti. and ((graph\$4 and calculat\$4 and	USPAT;	2004/02/13 15:01
	*	hand-held\$1 and comput\$6) and (screen\$1 or display\$1)	US-PGPUB;	2007/02/13 13.01
		and processor\$1 and (key\$1 same (panel or pad)) and	EPO; JPO;	
		program\$4 and expression\$1 and symbol\$2)	DERWENT;	
L	L		IBM_TDB_	

-	0	handheld\$1.ti. and ((graph\$4 and calculat\$4 and	USPAT;	2004/02/13 15:03
	1	hand-held\$1 and comput\$6) and (screen\$1 or display\$1)	US-PGPUB;	
		and processor\$1 and (key\$1 same (panel or pad)) and	EPO; JPO;	
		program\$4 and expression\$1 and symbol\$2)	DERWENT;	
			IBM_TDB	į
_	1	hand-held\$1.ti. and ((graph\$4 and calculat\$4 and	USPAT;	2004/02/13 15:04
		hand-held\$1 and comput\$6) and (screen\$1 or display\$1)	US-PGPUB;	200 1, 02, 10 15.01
		and processor\$1 and (key\$1 same (panel or pad)) and	EPO; JPO;	
İ		program\$4 and expression\$1 and symbol\$2)	DERWENT;	
]		programa and expressional and symbolazi		
			IBM_TDB	2004/02/42 45:05
_	0	calculat\$4.ti. and ((graph\$4 and calculat\$4 and hand-held\$1	USPAT;	2004/02/13 15:05
		and comput\$6) and (screen\$1 or display\$1) and	US-PGPUB;	
		processor\$1 and (key\$1 same (panel or pad)) and	EPO; JPO;	
		program\$4 and expression\$1 and symbol\$2)	DERWENT;	
			IBM_TDB	
-	37	hand-held\$1.ti. and paus\$3	USPAT;	2004/02/13 15:34
			US-PGPUB;	
			EPO; JPO;	
-			DERWENT;	
			IBM_TDB	
_	1	hand-held\$1.ti. and comput\$6.ti. and paus\$3	USPAT;	2004/02/13 15:09
		папа поверты ина сотприсроли, ана раизро	US-PGPUB;	2007/02/13 13:09
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	989	hand-held\$1.ti. and (paus\$3 or stop\$4)	USPAT;	2004/02/13 15:41
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	476	graph\$4 and calculat\$4 and hand-held\$1 and comput\$6 and	USPAT;	2004/02/13 15:41
ł		paus\$3	US-PGPUB;	2001,02,1010111
		, paneys	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
	18	(arasht4 and calculate4 and hand holdet1 and compute()		2004/02/12 15:11
_	10	(graph\$4 and calculat\$4 and hand-held\$1 and comput\$6)	USPAT;	2004/02/13 15:11
		and (screen\$1 or display\$1) and processor\$1 and (key\$1	US-PGPUB;	
	'	same (panel or pad)) and program\$4 and expression\$1 and	EPO; JPO;	
		symbol\$2 and paus\$3	DERWENT;	
			IBM_TDB	
-	150	706/60.ccls.	USPAT;	2004/02/13 16:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	hand-held.ti. and 706/60.ccls.	USPAT;	2004/02/13 15:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		hand hald to and assess the till 700,000 to	IBM_TDB	2004/00/40 := :5
-	0	hand-held.ti. and comput\$6.ti. and 706/60.ccls.	USPAT;	2004/02/13 15:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	graph\$4 and calculat\$4 and hand-held\$1 and comput\$6 and	USPAT;	2004/02/13 15:40
		706/60.ccls.	US-PGPUB;	= 32 1, 32, 10 10 10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	0	hand-held\$1.ti. and (paus\$3 or stop\$4) and 706/60.ccls.	USPAT;	2004/02/13 15:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		and the second and and and the second to the	IBM_TDB	0004/004/5
-	0	graph\$4 and calculat\$4 and hand-held\$1 and comput\$6 and	USPAT;	2004/02/13 15:41
		paus\$3 and 706/60.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	13	compute ti and 706/60 colo	IBM_TDB	2004/02/42 45:54
-	13	comput\$6.ti. and 706/60.ccls.	USPAT;	2004/02/13 15:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	124	708/130.ccls.	IBM_TDB	2004/02/12 16:22
-	124	700/130.003.	USPAT; US-PGPUB;	2004/02/13 16:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1 - 1	3	("5732001" "4866634" "5046024").pn.	USPAT	2004/06/28 19:44
-	Ö	09939128.ap.	USPAT;	2004/06/28 11:00
			US-PGPUB;	200 17 007 20 11.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	20030041078.did.	US-PGPUB	2004/06/28 11:00
-	153	706/60.ccls.	USPAT;	2004/06/28 19:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	125	708/130.ccls.	USPAT;	2004/06/28 19:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	706/60.ccls. and 708/130.ccls.	USPAT;	2004/06/28 19:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(HET222004 II HADGGG24 II HED 4G024II) TOG (G0 I	IBM_TDB	0004/06/00 40 44
-	1	("5732001" "4866634" "5046024").pn. and 706/60.ccls.	USPAT	2004/06/28 19:44
	0	("5732001" "4866634" "5046024").pn. and 708/130.ccls.	USPAT	2004/06/28 19:44